
Septembar
2022

Predizolovani paneli i prateća oprema







JAK-KA®

www.jakkagroup.com

Podaci i slike u katalogu su informativnog karaktera. Jakka Group zadržava pravo promene cena i podataka bez prethodne najave. Za više informacija, pre konačne kupovine, kontaktirajte našu prodajnu službu.

Sadržaj

Pvc bajonet & “U” profil (20 mm) 1
Pvc bayonette & "U" profile (20 mm)

JPPE 20/45 & Profil spoljni alu (20 mm) standard 2
JPPE 20/45 & Invisable flange alu (20 mm) standard

“CHAIR” profil (20 mm) & “F” profil (20 mm) 3
“CHAIR” profile (20 mm) & “F” profile (20 mm)


Zaštitni ugao (20 mm) & Diskovi za ojačanje 4
Covering angle (20 mm) & Reinforcement disk

Ugaoni nosač “TIGER” & Uglić pocinkovani (20 mm) 5
Hanging bracket “TIGER” & Zinc coated angle (20 mm)

Specijalni lepak & Brzostežući lepak 6
Special glue & Fast glue

Nož sa jednim sečivom & Ojačana sečiva (Solingen) 20 mm 7
Single cutter & Cutter blades cemeted (Solingen) 20 mm

PVC BAJONET
PVC BAYONETTE



Materijal / *Material*

Pvc


Dužina / *Lenth*

3m

Služi za povezivanje spojnih profila.
Smanjuje curenje vazduha na spojevima,
bez dodatne zaptivke.

Made to join invisible flanges.It reduces air leakage without gasket.

“U” PROFIL (20 mm)
"U" PROFILE (20 mm)



Materijal / *Material*

Aluminijum
Aluminium

Pakovanje / *Packaging*

U buntu 40 m


Dimenzije / *Dimensions*

5x10x400 po komadu / per piece

Za povezivanje kanala sa regulatorima protoka,antivibracionim spojnicama, protiv-požarnim klapnama, revizionim otvorima

Made to connect ducts to dampers, anti-vibration joints, fire dampers, inspection doors, etc.

JPPE 20/45



Materijal / *Material*

Poliuretan + aluminijum
Polyurethane + aluminium

Veličina ploče / *Panel size*

4.000mm x 1.200mm x20mm / 4,8m2

Oplata / *Jacket*

Reljefni alu. sloj od 80 mikrona sa obe strane
Embossed aluminum. layer of 80 microns on both sides

Gustina / *Density*

45 (+/- 2) kg/m3

Poliuretanska pena sa aluminijumskom oblogom na obe strane

Polyurethane foam with aluminium lining on both sides

PROFILI I PRATEĆA OPREMA
PROFILES AND ACCESSORIES

PROFIL SPOJNI ALU (20 mm) STANDARD

INVISIBLE FLANGE - ALU (20 mm) STANDARD

Materijal / *Material*


Aluminijum
Aluminium

Pakovanje / *Packaging*

U buntu 40 m

Dimenzije / *Dimensions*

5x10x400 po komadu / per piece




Za čvrsto spajanje kanala ali i sa mogućnošću rastavljanja, između dva profila se postavlja PVC bajonet.

For tight connection of channels but also with the possibility for disassembly, between two profiles a PVC bayonet is installed.

“CHAIR” PROFIL (20 mm)

“CHAIR” PROFILE OF 20mm



Materijal / *Material*

Aluminijum
Aluminium

Pakovanje / *Packaging*

U buntu 40 m

Dimenzije / *Dimensions*


5x10x400 po komadu / per piece

Za ugradnju elemenata i uređaja sistema obrade vazduha. Pomoću “U” profila ili samo “CHAIR” profila i pomoću samolepljive trake se priključuje određeni elemenat.

For installation of system elements for air treatment. Using the "U" profile or just "CHAIR" profile and using self-adhesive tape is attached on certain element

“F” PROFIL (20 mm)

"F" PROFILE (20 mm)



Materijal / *Material*

Aluminijum
Aluminium

Pakovanje / *Packaging*

U buntu 40 m

Dimenzije / *Dimensions*

5x10x400 po komadu / per piece

Koristi se za povezivanje sa klima uređajima, protiv-požarnim klapnama. Koristi se uz pocinkovani ugao i sa sundjerastom samolepljivom trakom.

Made to connect the ducts to level surfaces, air units, fire dampers, etc. To complete with zinc coated angles for “F” profile of 20mm self-adhesive gasket.

ZAŠTITNI UGAO (20 mm)

COVERING ANGLE OF 20mm

Materijal / *Material*

PVC

Pakovanje / *Packaging*

200 kom/pcs



Poboljšava estetski izgled kanala spojenjih spojnim profilom.

Made to improve the external apperance in the anfle joints made with the invisible flange.

DISKOVI ZA OJAČANJE

REINFORCEMENT DISK

Materijal / *Material*

Aluminijum
Aluminium

Pakovanje / *Packaging*

200 kom/pcs




Disk za ojačanje kanala

Disk made for the reinforcement profile installation.

UGAONI NOSAČ “tiger”

ANGLE HANGING BRACKET “tiger”



Materijal / *Material*

Pocinkovani čelični lim
Zinc coated steel sheet

Pakovanje / *Packaging*

100 komada po kutiji
100 pcs per box

Nosač od pocinkovanog lima za brzo postavljanje ventilacionih kanala

Galvanized sheet support for quick installation of ventilation ducts

UGLIĆ - pocinkovani (20 mm)

ZINC-COATED ANGLE OF 20mm



Materijal / *Material*

Pocinkovani čelični lim
Zinc coated steel sheet

Pakovanje / *Packaging*

500 kom/pcs

SPECIJALNI LEPAK
SPECIAL GLUE



Pakovanje / *Packaging*

4 kg

Upozorenje / *Warning*

Zapaljiv, ne izlagati ekstremnim temperaturama.

Flammable, do not expose to extreme temperatures

Period sušenja / *Drying period*

48 sati / hours

Specijalni lepak za lepljenje poliuretanskih panela.

Specific glue to obtain the best adhesion between polyurethane foams.

BRZOSTEŽUĆI LEPAK
FAST GLUE



Pakovanje / *Packaging*

500g tuba/*bottle*


Period sušenja / *Drying period*

3 sata / hours

Poliuretanski lepak, koristan za lepljenje i spajanje PVC i ALU profila, pri temperaturama ne manjim od 10 °C. Reaguje sa vlagom iz vazduha u roku od 3 h.

Polyurethane glue, useful for sticking together PVC and aluminium profiles at temperatures not lower than 10 °C. It reacts with atmospheric humidity within 3 hours.

NOŽ SA JEDNIM SEČIVOM
SINGLE CUTTER



Nož za sečenje panela od 20 mm. Za sečenje ulevo 45° udesno 45° i pod 90°

Cutter for 20mm panels, left 45° right 45°, 90°

Karakteristike / *Characteristics*

45° NOŽ SA JEDNIM SEČIVOM 20 mm
45° SINGLE CUTTER 20 mm

90° NOŽ SA JEDNIM SEČIVOM 20 mm
90° SINGLE CUTTER 20 mm


45° NOŽ SA DVA SEČIVA 20mm
45° DOUBLE CUTTER 20 mm

22° NOŽ SA DVA SEČIVA 20 mm
22° DOUBLE CUTTER 20 mm

Pakovanje / *Packaging*

1 komad / *peace*

OJAČANA SEČIVA (Solingen) 20 mm
CUTTER BLADES CEMENTED (Solingen) 20 mm



Zamenska sečiva za nož za sečenje panela

Replacement blades for cutting panels

Materijal / *Material*


Metal

Pakovanje / *Packaging*

10 komada / *peaces*

2022





JAK-KA®

www.jakkagroup.com

Bulevar Zorana Đinđića 80,
11070 NOVI BEOGRAD

+381 11 2600 901
+381 11 2600 906

jakkagroup@jakkagroup.com

www.jakkagroup.com