




### GR-AA & GR-AR

- Vrtložni plafonski difuzor sa četvrtastom maskom i radialno postavljenim lamelama, četvrtastog (AA) ili okruglog (AR) oblika. Unutar rešetke se nalaze podesive lamele za kontrolu distribucije vazduha.
- Ceiling swirl diffuser with square front plate and radially placed air outlets with square (AA) or circular (AR) circumference. Inside of the air outlets there are adjustable blades for air direction control.



GR-AA



GR-AR

CENOVNIK ZA REŠETKE  
OBOJENE RAL BOJOM  
PLASTIFICIRANE

PRICE LIST FOR GRILLES  
PAINTED IN RAL COLOUR  
ELECTROSTATICALLY

	GR-AA	GR-AR
300	52,78	52,78
400	57,37	57,37
500	73,42	73,42
600	80,29	80,29
700	96,37	96,37
800	114,72	114,72

**NAPOMENE:**



- \* Kod rešetke veličine 600 spoljašnje dimenzije su 595X595 mm. (A=555 mm) ili 625X625 mm ili 640X640 mm.
- \* Za neke specijalne RAL boje postoji dodatak u ceni. Kontaktirajte nas za detaljnije informacije.

**NOTES:**


- \* In size 600 the outside dimension of the diffuser is 595X595 mm. (A=555 mm) or 625X625 mm or 640X640 mm.
- \* For some special RAL colours there is extra charge. Come in touch with us for more information.

### GR-AA-D & GR-AR-D

- Vrtložni plafonski difuzori sa četvrtastom maskom i radialno postavljenim lamelama, četvrtastog (AA) ili okruglog (AR) oblika. Unutar rešetke se nalaze podesive lamele za kontrolu distribucije vazduha. Sa damperom, regulatorom protoka vazduha.
- Ceiling swirl diffuser with square front plate and radially placed air outlets with square (AA) or circular (AR) circumference. Inside of the air outlets there are adjustable blades for air direction control. With opposed blade damper for regulation of air flow.



GR-AA-D



GR-AR-D

CENOVNIK ZA REŠETKE  
OBOJENE RAL BOJOM  
PLASTIFICIRANE

PRICE LIST FOR GRILLES  
PAINTED IN RAL COLOUR  
ELECTROSTATICALLY

	GR-AA-D	GR-AR-D
300	64,11	64,11
400	74,80	74,80
500	98,20	98,20
600	120,15	120,15
700	150,62	150,62
800	185,58	185,58

**NAPOMENE:**

- \* Kod rešetke veličine 600 spoljašnje dimenzije su 595X595 mm. (A=555 mm) ili 625X625 mm ili 640X640 mm.
- \* Za neke specijalne RAL boje postoji dodatak u ceni. Kontaktirajte nas za detaljnije informacije.



**NOTES:**

- \* In size 600 the outside dimension of the diffuser is 595X595 mm. (A=555 mm) or 625X625 mm or 640X640 mm.
- \* For some special RAL colours there is extra charge. Come in touch with us for more information.




### GR-AA-A & GR-AR-A

- Vrtložni plafonski difuzori sa četvrtastom maskom (595×595mm spoljašnje dimenzije) i radijalno postavljenim lamelama, četvrtastog (AA) ili okruglog (AR) oblika. Unutar rešetke se nalaze podesive lamele za kontrolu distribucije vazduha.
- Ceiling swirl diffuser with square (595×595mm outside dimensions) front plate and radially placed air outlets with square (AA) or circular (AR) circumference. Inside of the air outlets there are adjustable blades for air direction control.



GR-AA-A



GR-AR-A

CENOVNIK ZA REŠETKE  
OBOJENE RAL BOJOM  
PLASTIFICIRANE

PRICE LIST FOR GRILLES  
PAINTED IN RAL COLOUR  
ELECTROSTATICALLY

	GR-AA-A	GR-AR-A
300	57,37	57,37
400	61,95	61,95
500	75,73	75,73

**NAPOMENE:**



\* Za neke specijalne RAL boje postoji dodatak u ceni. Kontaktirajte nas za detaljnije informacije.

**NOTES:**


\* For some special RAL colours there is extra charge. Come in touch with us for more information.

### GR-AA-A-D & GR-AR-A-D

- Vrtložni plafonski difuzori sa četvrtastom maskom (595×595mm spoljašnje dimenzije) i radijalno postavljenim lamelama, četvrtastog (AA) ili okruglog (AR) oblika. Unutar rešetke se nalaze podesive lamele za kontrolu distribucije vazduha. Sa damperom, regulatorom protoka vazduha.
- Ceiling swirl diffuser with square (595×595mm outside dimensions) front plate and radially placed air outlets with square (AA) or circular (AR) circumference. Inside of the air outlets there are adjustable blades for air direction control. With opposed blade damper for regulation of air flow.



GR-AA-A-D



GR-AR-A-D

CENOVNIK ZA REŠETKE  
OBOJENE RAL BOJOM  
PLASTIFICIRANE

PRICE LIST FOR GRILLES  
PAINTED IN RAL COLOUR  
ELECTROSTATICALLY

	GR-AA-A-D	GR-AR-A-D
300	68,70	68,70
400	79,38	79,38
500	100,51	100,51


**NAPOMENE:**

\* Za neke specijalne RAL boje postoji dodatak u ceni. Kontaktirajte nas za detaljnije informacije.

**NOTES:**



\* For some special RAL colours there is extra charge. Come in touch with us for more information.

4



## GR-RR

- ▶ Vrtložni plafonski difuzor sa okruglom maskom i radijalno postavljenim lamelama okruglog oblika. Unutar rešetke se nalaze podesive lamele za kontrolu disipacije vazduha.
- ▶ Ceiling swirl diffuser with round front plate and radially placed air outlets with circular circumference. Inside of the air outlets there are adjustable blades for air direction control.



	GR-RR
300	57,37
400	61,95
500	75,73
600	80,29

CENOVNIK ZA REŠETKE  
OBOJENE RAL BOJOM  
PLASTIFICIRANE

PRICE LIST FOR GRILLES  
PAINTED IN RAL COLOUR  
ELECTROSTATICALLY

### NAPOMENE:



- \* Kod rešetke veličine 600 spoljašnje dimenzije su 595 mm (A=555 mm).
- \* Za neke specijalne RAL boje postoji dodatak u ceni. Kontaktirajte nas za detaljnije informacije..

### NOTES:

- \* In size 600 the outside dimension of the diffuser is 595 mm (A=555 mm)
- \* For some special RAL colours there is extra charge. Come in touch with us for more information.

## GR-AR-AUTH & GR-AR-A-AUTH & GR-RR-AUTH

- ▶ Vrtložni plafonski difuzor sa radijalno podesivim lamelama okruglog oblika i kvadratnom prednjom pločom (GR-AR-AUTH), kvadratnom prednjom pločom dimenzija 595x595mm (GR-AR-A-AUTH) ili kružnom prednjom pločom (GR-RR-AUTH). Pokretne lamele locirane u odbodima vazduha se autoatski podešavaju u položaj za grejanje (vertikalno izbacivanje) ili u položaj za hlađenje (vrtložno), zavisno od temperature vazduha, što se odvija mehanički bez potrebe za električnim napajanjem.
- ▶ Ceiling swirl diffuser with radially placed air outlets with circular circumference. In square front plate (GR-AR-AUTH) or square front plate with outside dimensions 595X595mm (GR-AR-A-AUTH) or round frontplate (GR-RR-AUTH). The adjustable blades located in the air outlets are automatically adjusted in the heating position (vertical throw) or in the cooling position (swirl) according to the supply air temperature, this happens from a mechanical system without need of electric power.



	GR-AR-AUTH	GR-AR-A-AUTH	GR-RR-AUTH
300	192,06	196,64	196,64
400	196,64	201,23	201,23
500	212,69	215,00	215,00
600	219,57	-	219,57

CENOVNIK ZA REŠETKE  
OBOJENE RAL BOJOM  
PLASTIFICIRANE

PRICE LIST FOR GRILLES  
PAINTED IN RAL COLOUR  
ELECTROSTATICALLY

### NAPOMENE:

- \* Kod rešetke veličine 600 spoljašnje dimenzije su 595x595 mm (GR-AR-AUTH-) ili Ø595mm (GR-RR-AUTH) (A=555 mm).
- \* Kod tipa GR-AR-AUTH spoljne dimenzije mogu biti i 625x625mm ili 640x640mm.
- \* Za neke specijalne RAL boje postoji dodatak u ceni. Kontaktirajte nas za detaljnije informacije..



### NOTES:

- \* In size 600 the outside dimensions of the diffuser is 595x595mm (GR-AR-AUTH) or Ø595mm (GR-RR-AUTH), A=555mm.
- \* In the type GR-AR-AUTH the outside dimension could be also 625X625mm or 640x640mm.
- \* For some special RAL colours there is extra charge. Come in touch with us for more information.





## GR-AR-ON/OFF-220V

- Vrtloži plafonski difuzor sa četvrtastom maskom radijalno postavljenim lamelama okruglog oblika. Unutar difuzora se nalaze podesive lamele za kontrolu distribucije vazduha, sa elektoregulatorom on-off 220V.
- Ceiling swirl diffuser with square front plate and radially placed air outlets with circular circumference. Inside of the air outlets there are adjustable blades for air direction control, with electric actuator on-off 220V.





## GR-AR-A-ON/OFF-220V

- Vrtložni plafonski difuzor sa četvrtastom maskom (595×595mm spoljašnje dimenzije) radijalno postavljenim lamelama okruglog oblika. Unutar difuzora se nalaze podesive lamele za kontrolu distribucije vazduha. Sa elektoregulatorom on-off 220V.
- Ceiling swirl diffuser with square (595×595mm outside dimensions) front plate and radially placed air outlets with circular circumference. Inside of the air outlets there are adjustable blades for air direction control, with electric actuator on-off 220V.



## GR-RR-ON/OFF-220V

- Vrtložni plafonski difuzor sa okruglom maskom radijalno postavljenim lamelama okruglog oblika. Unutar difuzora se nalaze podesive lamele za kontrolu distribucije vazduha. Sa elektoregulatorom on-off 220V.
- Ceiling swirl diffuser with round front plate and radially placed air outlets with circular circumference. Inside of the air outlets there are adjustable blades for air direction control, with electric actuator on-off 220V.



CENOVNIK ZA REŠETKE  
OBOJENE RAL BOJOM  
PLASTIFICIRANE

PRICE LIST FOR GRILLES  
PAINTED IN RAL COLOUR  
ELECTROSTATICALLY

	GR+AR+ON/OFF-220V	GR+AR+A+ON/OFF-220V	GR+RR+ON/OFF-220V
400	251,25	255,84	255,84
500	267,30	269,60	269,60
600	274,18	-	274,18
700	290,25	-	-
800	308,60	-	-

### NAPOMENE:

\* Kod rešetke veličine 600 spoljašnje dimenzije su 595X595 mm (GR-AR-ON/OFF-220V) ili Ø595mm (GR-RR-ON/OFF-220V) (A=555 mm). Kod tipa GR-AR-ON/OFF-220V spoljašnja dimenzija može da bude i 625X625mm ili 640X640mm.

\* Za neke specijalne RAL boje postoji dodatak u ceni. Kontaktirajte nas za detaljnije informacije.

### NOTES:

\* In size 600 the outside dimensions of the diffuser is 595X595mm (GR-AR-ON/OFF-220V) or Ø595mm (GR-RR-ON/OFF-220V). A=555mm. In the type GR-AR-ON/OFF-220V the outside dimension could be also 625X625mm or 640X640mm.


\* For some special RAL colours there is extra charge. Come in touch with us for more information.



### GR-AR-ANALOGUE-24V

Vrtložni difuzor sa četvrtastom maskom radijalno postavljenim lamelama okruglog oblika. Unutar difuzora se nalaze podesive lamele za kontrolu distribucije vazduha. Sa analognim elektroregulatorom od 24V.


*Ceiling swirl diffuser with square front plate and radially placed air outlets with circular circumference. Inside of the air outlets there are adjustable blades for air direction control, with electric actuator analogue 24V.*



### GR-AR-A-ANALOGUE-24V

Vrtložni difuzor sa četvrtastom maskom (595×595mm spoljašnje dimenzije) radijalno postavljenim lamelama okruglog oblika. Unutar difuzora se nalaze podesive lamele za kontrolu distribucije vazduha. Sa analognim elektroregulatorom od 24V.


*Ceiling swirl diffuser with square (595×595mm outside dimensions) front plate and radially placed air outlets with circular circumference. Inside of the air outlets there are adjustable blades for air direction control, with electric actuator analogue 24V.*



### GR-RR-ANALOGUE-24V

Vrtložni difuzor sa okruglom maskom radijalno postavljenim lamelama okruglog oblika. Unutar difuzora se nalaze podesive lamele za kontrolu distribucije vazduha. Sa analognim elektroregulatorom od 24V.

*Ceiling swirl diffuser with round front plate and radially placed air outlets with circular circumference. Inside of the air outlets there are adjustable blades for air direction control, with electric actuator analogue 24V.*



CENOVNIK ZA REŠETKE  
OBOJENE RAL BOJOM  
PLASTIFICIRANE

PRICE LIST FOR GRILLES  
PAINTED IN RAL COLOUR  
ELECTROSTATICALLY

	GR+AR+ANALOGUE24V	GR+AR+A+ANALOGUE24V	GR+RR+ANALOGUE24V
400	297,93	302,52	302,52
500	313,98	316,28	316,28
600	320,85	-	320,85
700	336,94	-	-
800	355,28	-	-

#### NAPOMENE:

\* Kod rešetke veličine 600 spoljašnje dimenzije su 595X595 mm (GR-AR-ANALOGUE-24V) ili Ø595mm (GR-RR-ANALOGUE-24V) (A=555 mm). Kod tipa GR-AR-ANALOGUE-24V spoljašnja dimenzija može da bude i 625X625mm ili 640X640mm.

\* Za neke specijalne RAL boje postoji dodatak u ceni. Kontaktirajte nas za detaljnije informacije.


#### NOTES:

\* In size 600 the outside dimensions of the diffuser is 595X595mm (GR-AR-ANALOGUE-24V) or Ø595mm (GR-RR-ANALOGUE-24V) A=555mm. In the type GR-AR-ANALOGUE-24V the outside dimension could be also 625X625mm or 640X640mm.

\* For some special RAL colours there is extra charge. Come in touch with us for more information.



4

# VRTLOŽNI PLAFONSKI ANEMOSTATI SWIRL CEILING DIFFUSERS



## GR-B

- ♦ Vrtložni plafonski anemostat sa pravougaonom maskom i radialno postavljenim lamelama pravougaonog oblika. Ima i pokretne lamele za kontrolu distribucije vazduha.
- ♦ Ceiling swirl diffuser with rectangular front plate and radially placed air outlets with rectangular circumference. Inside the air outlets there are adjustable blades for air direction control.



DIMENZIJE OTVORA / HOLE DIMENSION  
Visina / Height (mm)

CENOVNIK ZA REŠETKE  
OBOJENE RAL BOJOM  
PLASTIFICIRANE

PRICE LIST FOR GRILLES  
PAINTED IN RAL COLOUR  
ELECTROSTATICALLY

	250	300	350
400	52,78	55,06	57,37
500	58,50	60,81	63,09
600	64,24	66,54	68,83
700	69,98	72,27	74,57
800	75,72	78,01	80,29

### NAPOMENE:



- \* Kod rešetke veličine 600 spoljašnje dimenzije su 595 mm A = 555mm)
- \* Za neke specijalne RAL boje postoji dodatak u ceni.
- Kontaktirajte nas za detaljnije informacije.

### NOTES:

- \* In the dimension 600 the outside dimension of the diffuser is 595 mm (A=555 mm).
- \* For some special RAL colours there is extra charge. Come in touch with us for more information.

## GR-B-D

- ♦ Vrtložni plafonski anemostat sa pravougaonom maskom i radialno postavljenim lamelama pravougaonog oblika. Unutar rešetke se nalaze podesive lamele za kontrolu distribucije vazduha. Posедуje damper, regulator protoka vazduha.
- ♦ Ceiling swirl diffuser with rectangular front plate and radially placed air outlets with rectangular circumference. Inside the air outlets there are adjustable blades for air direction control. With opposed blade damper for regulation of air flow.



DIMENZIJE OTVORA / HOLE DIMENSION  
Visina / Height (mm)

	250	300	350
400	64,16	69,23	72,85
500	72,40	77,82	81,63
600	79,91	86,33	89,93
700	88,06	92,33	97,37
800	97,81	103,07	111,02

CENOVNIK ZA REŠETKE  
OBOJENE RAL BOJOM  
PLASTIFICIRANE

PRICE LIST FOR GRILLES  
PAINTED IN RAL COLOUR  
ELECTROSTATICALLY

### NAPOMENE:

- \* Kod rešetke veličine 600 spoljašnje dimenzije su 595 mm A = 555mm)
- \* Za neke specijalne RAL boje postoji dodatak u ceni.
- Kontaktirajte nas za detaljnije informacije.

### NOTES:

- \* In the dimension 600 the outside dimension of the diffuser is 595 mm (A=555 mm).
- \* For some special RAL colours there is extra charge. Come in touch with us for more information.

## GR-T

- Vrtložni plafonski difuzor sa četvrtastom maskom za ubacivanje vazduha. Unutar anemostata se nalaze podesive lamele za kontrolu distribucije vazduha. Anemostati imaju kružno postavljene pravougaone otvore pod uglom.
- Ceiling, supply air, swirl diffuser with square front plate. Inside the air outlets there are adjustable blades for air direction control. The air outlets have circular circumference and they are positioned in angle.



GR-T-35





GR-T-21

CENOVNIK ZA REŠETKE  
OBOJENE RAL BOJOM  
PLASTIFICIRANE

PRICE LIST FOR GRILLES  
PAINTED IN RAL COLOUR  
ELECTROSTATICALLY

GR-T-7/300	28,67
GR-T-14/400	36,87
GR-T-21/500	49,16
GR-T-21/595	55,25
GR-T-35/595	59,06






## GR-YB

- Četrtasti vrtložni plafonski anemostat visokog prodora ili četvorosmerni anemostat sa pokretnim lamelama za usmeravanje vazdušne struje.
- Square, ceiling, swirl (high penetration) or four direction diffuser with adjustable blades in slots for air direction control.

## GR-YB-A

- Četrtasti vrtložni plafonski anemostat visokog prodora ili četvorosmerni anemostat sa pokretnim lamelama za usmeravanje vazdušne struje. Spoljne dimenzije: 595X595mm.
- Square, ceiling, swirl (high penetration) or four direction diffuser with adjustable blades in slots for air direction control. Frontplate outside dimensions: 595X595 mm.



### CENOVNIK ZA REŠETKE OBOJENE RAL BOJOM PLASTIFICIRANE

PRICE LIST FOR GRILLES  
PAINTED IN RAL COLOUR  
ELECTROSTATICALLY





	GR-YB	GR-YB-A
300	53,83	58,51
400	59,66	64,42
500	74,88	77,23
600	78,68	-

#### NAPOMENE:

- \* U dimenziji 600 spoljne dimenzije anemostata su 595X595mm (A=555mm).
- \* Za neke specijalne RAL boje postoji dodatak u ceni.
- Kontaktirajte nas za detaljnije informacije.

#### NOTES:

- \* In size 600 the outside dimension of the diffuser is 595X595 mm (A=555 mm).
- \* For some special RAL colours there is extra charge. Come in touch with us for more information.



## GR-YB-A

- Četrtasti vrtložni plafonski anemostat visokog prodora ili četvorosmerni anemostat sa pokretnim lamelama za usmeravanje vazdušne struje. Ima damper sa suprotnosmernim lamelama za regulaciju protoka vazduha.
- Square, ceiling, swirl (high penetration) or four direction diffuser with adjustable blades in slots for air direction control. With opposed blade damper for regulation of air flow.

## GR-YB-A-D

- Četrtasti vrtložni plafonski anemostat visokog prodora ili četvorosmerni anemostat sa pokretnim lamelama za usmeravanje vazdušne struje. Spoljne dimenzije: 595x595mm. Ima damper sa suprotnosmernim lamelama za regulaciju protoka vazduha.
- Square, ceiling, swirl (high penetration) or four direction diffuser with adjustable blades in slots for air direction control. Frontplate outside dimensions: 595X595 mm. With opposed blade damper for regulation of air flow.

### CENOVNIK ZA REŠETKE OBOJENE RAL BOJOM PLASTIFICIRANE

PRICE LIST FOR GRILLES  
PAINTED IN RAL COLOUR  
ELECTROSTATICALLY

	GR-YB-D	GR-YB-A-D
300	65,16	69,84
400	77,09	81,85
500	99,67	102,02
600	118,54	-

#### NAPOMENE:

- \* U dimenziji 600 spoljne dimenzije anemostata su 595X595mm (A= 555mm)
- \* Za neke specijalne RAL boje postoji dodatak u ceni.
- Kontaktirajte nas za detaljnije informacije

#### NOTES:

- \* In size 600 the outside dimension of the diffuser is 595X595 mm (A=555 mm).
- \* For some special RAL colours there is extra charge. Come in touch with us for more information.






## GR-04

- Kvadratni plafonski anemostat sa četvorosmernim ubacivanjem vazduha, sa pokretnim lamelama unutar otvora.
- *Square ceiling four direction diffuser with adjustable blades in slots.*

## GR-04-A

- Kvadratni plafonski anemostat sa četvorosmernim ubacivanjem vazduha, sa pokretnim lamelama unutar otvora. Prednja ploča spoljnih dimenzija 595x595mm.
- *Square ceiling four direction diffuser with adjustable blades in slots. Frontplate outside dimensions: 595X595 mm.*



### CENOVNIK ZA REŠETKE OBOJENE RAL BOJOM PLASTIFICIRANE

### PRICE LIST FOR GRILLES PAINTED IN RAL COLOUR ELECTROSTATICALLY

	GR-04	GR-04-A
300	54,36	59,09
400	60,23	65,05
500	74,89	77,23
600	81,09	-


#### NAPOMENE:

- \* Za veličinu 600 spoljne dimenzije difuzora su 595x595mm (A=555mm).
- \* Za neke specijalne RAL boje postoji dodatak u ceni. Kontaktirajte nas za detaljnije informacije.

#### NOTES:

- \* In size 600 the outside dimension of the diffuser is 595X595 mm (A=555 mm).
- \* For some special RAL colours there is extra charge. Come in touch with us for more information.

4



## GR-04-D

- Kvadratni plafonski anemostat sa četvorosmernim ubacivanjem vazduha, sa pokretnim lamelama unutar otvora. Ima damper sa suprotnosmernim lamelama za regulaciju protoka vazduha.
- *Square ceiling four direction diffuser with adjustable blades in slots. With opposed blade damper for regulation of air flow.*

## GR-04-A-D

- Kvadratni plafonski anemostat sa četvorosmernim ubacivanjem vazduha, sa pokretnim lamelama unutar otvora. Prednja ploča spoljnih dimenzija 595x595mm. Ima damper sa suprotnosmernim lamelama za regulaciju protoka vazduha.
- *Square ceiling four direction diffuser with adjustable blades in slots. Frontplate outside dimensions: 595X595 mm. With opposed blade damper for regulation of air flow.*

### CENOVNIK ZA REŠETKE OBOJENE RAL BOJOM PLASTIFICIRANE

### PRICE LIST FOR GRILLES PAINTED IN RAL COLOUR ELECTROSTATICALLY


	GR-04-D	GR-04-A-D
300	65,69	70,42
400	77,67	82,48
500	99,67	102,02
600	120,95	-

#### NAPOMENE:

- \* Za veličinu 600 spoljne dimenzije difuzora su 595x595mm (A=555mm).
- \* Za neke specijalne RAL boje postoji dodatak u ceni. Kontaktirajte nas za detaljnije informacije.

#### NOTES:

- \* In size 600 the outside dimension of the diffuser is 595X595 mm (A=555 mm).
- \* For some special RAL colours there is extra charge. Come in touch with us for more information.







### GR-OK4

- Kvadratni plafonski anemostat, sa četvorosmernim ubacivanjem vazduha, sa pokretnim lamelama unutar otvora.
- Square ceiling four direction diffuser with adjustable blades in slots.

### GR-OK4-A

- Kvadratni plafonski anemostat, sa četvorosmernim ubacivanjem vazduha, sa pokretnim lamelama unutar otvora. Prednja ploča spoljnih dimenzija: 595X595mm.
- Square ceiling four direction diffuser with adjustable blades in slots. Frontplate outside dimensions: 595X595 mm.



CENOVNIK ZA REŠETKE  
OBOJENE RAL BOJOM  
PLASTIFICIRANE

PRICE LIST FOR GRILLES  
PAINTED IN RAL COLOUR  
ELECTROSTATICALLY

	GR-OK4	GR-OK4-A
300	54,88	61,29
400	61,38	66,28
500	76,36	78,75
600	82,70	-

**NAPOMENE:**



\* U dimenziji 600, spoljne dimenzije anemostata su 595X595mm (A= 555mm)

\* Za neke specijalne RAL boje postoji dodatak u ceni. Kontaktirajte nas za detaljnije informacije.

**NOTES:**



\* In size 600 the outside dimension of the diffuser is 595X595 mm (A=555 mm).

\* For some special RAL colours there is extra charge. Come in touch with us for more information.



### GR-OK4-D

- Kvadratni plafonski anemostat, sa četvorosmernim ubacivanjem vazduha, sa pokretnim lamelama unutar otvora. Ima damper sa suprotnosmernim lamelama za regulaciju protoka vazduha.
- Square ceiling four direction diffuser with adjustable blades in slots. With opposed blade damper for regulation of air flow.



### GR-OK4-A-D

- Kvadratni plafonski anemostat, sa četvorosmernim ubacivanjem vazduha, sa pokretnim lamelama unutar otvora. Prednja ploča spoljnih dimenzija: 595X595mm. Ima damper sa suprotnosmernim lamelama za regulaciju protoka vazduha.
- Square ceiling four direction diffuser with adjustable blades in slots. Frontplate outside dimensions: 595X595 mm. With opposed blade damper for regulation of air flow.

CENOVNIK ZA REŠETKE  
OBOJENE RAL BOJOM  
PLASTIFICIRANE

PRICE LIST FOR GRILLES  
PAINTED IN RAL COLOUR  
ELECTROSTATICALLY

	GR-OK4-D	GR-OK4-A-D
300	66,21	70,81
400	78,81	83,71
500	101,14	103,53
600	122,56	-

**NAPOMENE:**

\* U dimenziji 600, spoljne dimenzije anemostata su 595X595mm (A= 555mm)

\* Za neke specijalne RAL boje postoji dodatak u ceni. Kontaktirajte nas za detaljnije informacije.

**NOTES:**

\* In size 600 the outside dimension of the diffuser is 595X595 mm (A=555 mm).

\* For some special RAL colours there is extra charge. Come in touch with us for more information.